

CONTENTS PAGES
VOLUMES 31-40

Volume 31

Western Region (22nd)

Direct rooting of tissue-cultured rhododendrons into an artificial soil mix	31:36
Transplantation and post-transplantation of micropropagated tree-fruit rootstocks	31:39
Small fruit culture after the test tube	31:45
The aftermath of the test tube in tissue culture	31:47
Vegetative propagation techniques-current ideas in Britain	31:53
Seedling production: <i>Cedrus deodara</i>	31:61
Douglas fir cultivar improvement programs	31:63
Improving seed germination in <i>Abies</i>	31:69
Seedling production in the eastern U.S.A.	31:78
Weed control in nursery containers	31:83
Use of Osmocote in container growing	31:85
Foliar nutrition of landscape plants	31:88
Mycorrhizae in relation to container plant production	31:91
Western Region 1981 award recipient	31:100
Plant manipulation in vitro with hormones	31:101
A comparison of several hormone formulations for rooting cuttings	31:109
Propagation of Alaska yellow cedar (<i>Chamaecyparis nootkatensis</i> [D.Don] Spach.) by rooted cuttings for production planting	31:112
New horizons in rooting hormones	31:116
Genetic stability of horticultural plants propagated by tissue culture	31:118
What's new in propagation at Boskoop, Holland	31:127
Growing certain Australian native shrubs and trees from softwood cuttings	31:130
A small-scale tissue culture laboratory	31:134
Etiolation as an aid to rooting	31:138
Cutting propagation of <i>Juniperus scopulorum</i> cultivars	31:141
Propagation of hard-to-root rhododendrons	31:145
Rooting <i>Acer rubrum</i> cultivars using single node cuttings	31:147
A device for hot callusing graft unions	31:151

Australian Region (9th)

Tissue culture and plant propagation: coming down to earth	31:162
Nursery record keeping in plant propagation	31:165
Propagation of certain tropical fruits	31:168
High temperature release characteristics of resin-coated slow-release fertilizers	31:176
Rapid propagation of potato: why? how?	31:181

Our experiences with soilless potting media	31:183
Propagation of <i>Boronia serrulata</i> Sm. (native rose) from cuttings	31:184
Automating aerated-steam treatments	31:190
Plants on wheels	31:192
Treatment for control of seed-borne pathogens of zinnia	31:195
Propagation of ornamental grevillias	31:198
Micropropagation of apple scion cultivars	31:209
Regeneration of grapevines by aseptic methods	31:213
Propagation of philodendrons from node cuttings	31:219
Simple greenhouse construction using lightweight modules	31:220
Conditioning of plants from soil media to hydroculture	31:224
Virus-free strawberry production in New South Wales	31:231
Recent developments in vegetable crop propagation which may have implications for the nurseryman	31:236
Teaching plant propagation to horticulture students	31:240
Propagation of <i>dieffenbachia</i> by node cuttings	31:248
Propagation of <i>Daphne odora</i>	31:249
Effect of auxin combinations on rooting of <i>Persoonia chameapitys</i> and <i>P. pinifolia</i> cuttings	31:251
Tibouchinas - beautiful, changeable - a challenge	31:256
Propagation of <i>Ficus</i> species by air layering	31:257
Effect of propamocarb and pH on the growth of ferns and <i>Pilea</i>	31:258
Rapid propagation of citrus in containers	31:262
Experience with shade house construction using new knitted type shade cloth	31:274
Mass production of eucalyptus seedlings by direct sowing method	31:276
Hygiene in the nursery	31:280
Open ground vs. container-grown citrus	31:283
Influence of auxins and minerals on root morphogenesis of <i>Eucalyptus ficifolia</i> F. Muell. in vitro	31:286
Tissue culture propagation of <i>Eriostemn australasius</i> Per. II. development of a rooting medium and the influence of plant hormones and growth factors on growth	31:295

New Zealand Region (10th)

Lithodoras	31:306
Rhododendron propagation	31:307
The role and work of the New Zealand nursery research centre	31:310
Micropropagation of <i>Zantedeschia</i> hybrids	31:312
Cultivation and propagation of insectivorous plants	31:316
Propagation and culture of bromeliads	31:324
New developments in spray application technology	31:329
Grafting nut trees in a cold climate	31:337
Acceptance of glass substitutes in greenhouse cladding and design	31:340
Re-establishing plantlets from tissue culture: a review	31:342

A nursery facility in the Buller Area of New Zealand	31:358
Polythene vs. aluminum foil for keeping plant material fresh and healthy	31:360

Great Britain and Ireland Region (14th)

1981 Rose Bowl Award	31:366
Work flow and costing in propagation	31:366
Propagation using the fogging technique	31:376
Hybrid populations in some native trees raised from seed	31:381
Plant conservation - a role for I.P.P.S.?	31:384
Etiolation of stock plants for improved rooting of cuttings: I. Opportunities suggested by work with apple	31:386
Etiolation of stock plants for the improved rooting of cuttings: II. Initial experiences with hardy ornamental nursery stock	31:392
My experiences with double clad tunnels	31:397
Plant hunting in Spain	31:399
Discussion group report: I. cutting handling	31:401
Discussion group report: II. hardwood cuttings	31:403
Discussion group report: III. training on the nursery	31:404
Discussion group report: questions and answers	31:407
The potential role of the computer on the nursery	31:410
A comparison of controlled and slow release fertilizers for the establishment of liners under glass	31:414
Propagation of marginal and aquatic plants	31:417
Propagation of alpiners	31:423
The IPPS abroad - Holland and Belgium	31:428
Question box	31:430

Eastern Region (31st)

<i>Elliottia</i> - propagational data for four species	31:436
How I solved the problem	31:440
How I solved a difficult propagation problem	31:442
The rooting of rhododendron stem cuttings	31:445
Juvenility and plant propagation	31:449
Influence of high IBA concentration on rooting	31:453
Adjusting nursery practice for production of mycorrhizal seedlings during propagation	31:461
Rooting compounds and their use in plant propagation	31:472
Efficiency in propagation	31:479
The passive solar propagating structure	31:482
Experiences in breeding azaleas and rhododendrons	31:488
The genus <i>Clematis</i> , past and present	31:495
Grafting upright junipers	31:501
Award of Merit	31:505
Propagation of shade trees by softwood cuttings	31:507

Propagation of <i>Acer grandidentatum</i> Nutt. by layering	31:512
Propagation of <i>Syringa reticulata</i> and its forms	31:515
Propagation of southern pine by cuttings	31:518
Propagation and production of <i>Rhus typhina</i> 'Laciniata', cutleaf staghorn sumac	31:524
Propagating citrus with hydronic radiant heated benches	31:527
Common sense in plant propagation	31:532
Production of conifer seedlings	31:535
Woody tree and shrub seedling production	31:537
Significant environmental and biochemical factors in seed germination of <i>Liriope muscari</i> and two related taxa	31:542
Question box	31:554
Tissue culture for the practical plant propagator - state of the art	31:559
Problems posed by microplant morphology	31:563
Progress in breeding aroids	31:568
Influence of extended photoperiod and fertilization on rooting <i>Acer rubrum</i> L. 'Red Sunset' cuttings	31:571
New plant forum	31:579
 Southern Region (6th)	
Weed control in liners and field transplants	31:588
A vertical air-root-pruning container	31:591
Ground covers for highway use	31:598
Preparation of container growing beds	31:605
Propagation methods fused at Hines Wholesale Nurseries	31:608
The Speedling system	31:612
Producing budded <i>Magnolia grandiflora</i> cultivars	31:616
Magnolia propagation	31:619
Bedding plant production	31:621
Iris soft rot caused by <i>Erwinia chrysanthemi</i> associated with over head irrigation and its control by chlorination	31:624
Effect of soil fungicides on production efficiency on <i>Peperomia griseo argentea</i> 'Blackie'	31:634
Some aspects of interior landscaping	31:641
Alternative propagation techniques for producing Texas field rose bushes	31:643
Field rose production	31:648
Woody tissue culture research	31:649
Developments in direct rooting	31:655
Propagation of upright junipers	31:658
Trickle irrigation for field production	31:666
Preliminary notes on desiccation and viability of live oak acorns	31:670
Question Box	31:676
Comparison of various treatments on rooting of <i>Rhododendron</i> 'English Roseum' cuttings	31:681

Australian Region (10th)

Horticultural rockwool as a propagation medium	32:34
Introducing students to plant tissue culture	32:40
Pasteurization of growing media by microwave	32:45
Growing <i>Clematis xjackmanii</i> hybrids	32:55
Popular breeding	32:58
The nature of callus and its importance to the plant propagator	32:65
Propagation of pin oak (<i>Quercus palustris</i>) to prevent winter leaf retention	32:74
Propagation and producing stone fruit trees in one year	32:78
Plant biotechnology, somaclonal variation, and varietal improvement	32:80
Labor reduction techniques for propagating azaleas and magnolias by cuttings	32:89
Propagation of orchids using symbiotic fungi	32:93
Tissue culture of <i>Eucalyptus</i>	32:98
Preliminary report on a technique which provides a “maturity factor” in trees grown in tissue culture	32:109
The use of fresh pine sawdust as a base for indoor plant potting mixes	32:114
Problems associated with pine bark and how we overcome them	32:116
Observations of citrus propagation in South Africa	32:120
Integrated pest control of two-spotted mite on ornamental plants propagated under greenhouse conditions	32:121
Mechanical handling of propagation benches	32:129
Some problems in seed raising	32:132
Summer grafting of <i>Acer palmatum</i> cultivars	32:138
F1 hybrids - advantages and seed production	32:140
Introducing tropical fruit trees to Australia	32:148
Preliminary results with Australian rockwool used for plant propagation and in hydroponic systems	32:151
Transplanting container-grown plants into the field	32:152
Container-grown roses: five months from cutting to flowering	32:155

Great Britain and Ireland Region (15th)

Mechanized nursery production	32:164
Cost effective propagation in North American nurseries	32:171
Nursery standards and quality control in Sweden	32:174
Propagation of <i>Elaeagnus</i> by cuttings	32:181
Propagation in Denmark of sour cherries by cuttings	32:182
Establishment in containers of woody ornamentals propagated from dormant leafless cuttings	32:186
Is striping of cuttings necessary?	32:199
Studies in the propagation of certain deciduous ornamentals by hardwood cuttings	32:200
Acid treatment of seeds of <i>Crataegus monogyna</i> and other <i>Crataegus</i> species	32:203
Plant standards for fruit nursery stock in the U.K. - an updated resume	32:205
British standards for nursery stock	32:209

My views on nursery standards	32:211
Grafting of <i>Pinus</i> , <i>Picea</i> , and <i>Abies</i>	32:215
Bench grafting under heated glass	32:215
Bench grafting ornamentals and fruits	32:220
Bench grafting methods at Crowder's Nurseries	32:224
Disease control in ericas and callunas	32:228
The economics of grafting	32:230
Winter protection at your nursery	32:233
Micropropagation in northwestern America	32:238
Some impressions of current propagation and production techniques in the U.S.A	32:240
1982 G.B.&I. Rose Bowl Award	32:244
A tropical garden for the nation	32:246
A history of IPPS members sharing	32:251
Plant propagation from a utilization viewpoint	32:256
Setting objectives in a plant propagation course	32:263
An approach to plant propagation	32:267
The development of foam propagating systems	32:271
Fuel economy in the propagation bench	32:275
Mass propagation of fruit trees in Italy by tissue culture: present status and perspectives	32:283
Propagation of 'Mr. S. 2/5' plum rootstock by tissue culture	32:291
Preparation of plants for micropropagation	32:297
Asexual propagation of tropical plants used in the landscape	32:304
Development of a tissue culture laboratory in New Zealand	32:311
An overview of a commercial plant tissue culture laboratory in Hawaii	32:315
How can we get microcuttings out of the lab	32:322
Cutting propagation of <i>Metasequoia glyptostroboides</i>	32:327
Cutting propagation of <i>Actinidia chinensis</i> (kiwifruit)	32:329
Maile seed germination as affected by preplant soaking in water with and without aeration and bottom heat	32:333
Comparison of rooting materials on leucospermum cuttings	32:336
Branching of <i>Tupidanthus</i> air layers after topping and defoliation	32:339
Seed propagation of palms	32:341
Rooting of stem cuttings of breadfruit (<i>Artocarpus altilis</i> [Parkins.] Fosb.) under intermittent mist	32:347
Western Region 1982 Merit Award Recipient	32:350
 New Zealand Region (11th)	
Propagation of perennial plants	32:354
Germinating eucalypt seeds	32:357
<i>Caladium</i> - a candidate for micropropagation?	32:363
Grafting unusual <i>Betula</i> cultivars	32:368
Problems in handling forestry and shelter trees through the retail nursery trade	32:370

Influence of several pre-sowing treatments on germination of <i>Cyclamen persicum</i> seed	32:373
Aids to production and marketing in a small nursery	32:380
Influence of nitrogen, phosphorus, potassium, and lime on growth and flowering of potted cyclamen	32:383
Plants of the highland tropical regions	32:390
Maintaining turgor in macadamia scions during grafting	32:394
Mycorrhizal fungi - their role in plant establishment	32:396

Southern Region (7th)

Production forecasting	32:406
Propagation of ornamental grasses	32:407
Leyland cypress propagation	32:410
Air rooting of peach cuttings	32:414
Propagation of deciduous azaleas	32:418
Propagation of rarely cultivated plants and new introductions	32:420
Rapid growth of tree seedlings in bottomless containers under continuous light	32:423
Using a microcomputer in the nursery business	32:427
New mountain laurel selections and their propagation	32:431
Mycorrhizae in container plant production	32:434
Improved production of nursery crops with mycorrhizal fungi	32:440
Rhododendron propagation - no mist with bottom heat	32:442
Propagation under poly film - no mist	32:444
My experience with high humidity propagation	32:446
High humidity propagation	32:448
Rooting cuttings under a wet tent	32:450
General organization of Greenleaf Nursery	32:455
Nursery organization	32:459
General organization of nurseries	32:461
Pesticide safety	32:463
Watering container-grown plants	32:466
Question box	32:469

Eastern Region (32nd)

<i>Stewartia</i> - propagational data for ten taxa	32:476
Propagation of <i>Cornus florida</i> forma <i>rubra</i> by seed - the process and potential	32:482
Propagating of trifoliate maples by seed	32:489
Establishing and maintaining a seed orchard	32:495
Propagation and growing of the Chinese pistache	32:497
Propagation of plant cultivars with "Yatsubusa" characteristics	32:503
Grafting of <i>Pyrus calleryana</i> cultivars	32:509
Propagation of tree peonies	32:512

Grafting <i>Fagus sylvatica</i> cultivars	32:516
Propagation of ornamental grasses	32:517
Propagation of top-grafted standard trees	32:521
Rooting <i>Euonymus</i> cuttings outdoors under thermo-blankets or under greenhouse intermittent mist using propagating media with and without composted sewage sludge	32:525
Vegetative propagation of pine and spruce: problems and solutions	32:535
Procedures used in Maine for over-winter storage of nursery stock	32:547
Rooting of Fraser fir cuttings: effects of post-severance chilling and of photoperiods during rooting	32:557
Utilizing capillary irrigation from the propagation bench to harvest	32:564
Propagating shade trees by cuttings and grafts	32:569
Forcing growth on summer-rooted rhododendron cuttings	32:580
Propagation of herbaceous perennials	32:583
Eastern Region question box	32:588
New and useful plants	32:593
Eastern Region Award of Merit	32:598
Constructing and maintaining disease-free propagation structures	32:599
Ornamental plant propagation in Japan	32:605
Cold treatment of <i>Taxus</i> cuttings	32:609
Direct sticking of cuttings in Gro-plugs	32:612
“Change-purse” budding of nut trees	32:616
Large-scale production of black spruce cuttings for progeny tests	32:619
The rooting stimulus in pine cuttings	32:625
Supplemental lighting in the propagation of deciduous azaleas	32:639

Volume 33

Western Region (24th)

Propagation of clonal rootstocks by hardwood cuttings	33:36
Softwood cuttings propagation of certain shade tree species	33:39
Stool bed production of clonal apple understocks	33:41
Micropropagation of deciduous trees	33:46
Duplex grafting of hemlocks	33:50
Propagation of filbert trees by layering and by grafting	33:51
Hot-callus grafting of filbert trees	33:52
Winter grafting of cedar, spruce, and ornamental cherry	33:54
Seed cone collection procedures, seed extraction, and seed storage	33:56
Conifer seed sources, testing, stratification, and sowing for the industrial forestry	33:64
Terminal bud abortion in Colorado blue spruce	33:66
Importance of seed selection for Christmas tree production	33:68
Strawdust, and alternative growing medium	33:71

Computer controls for greenhouse environments	33:72
Western Region 1983 Award of Merit	33:78
Willow water and rooting rhododendron cuttings	33:79
Jigs for crating liners for shipment of small nursery plants	33:82
Cutting propagation costs for Fraser photinia and tam juniper	33:83
Using geothermal heat pumps in a propagation nursery	33:88
Virus eradication through in vitro techniques	33:90
Propagation - fog not mist	33:100
Rooting conifer cuttings with a fog system	33:110
Tissue culture propagation of selected mature clones of <i>Liquidambar styraciflua</i>	33:113
Vegetative propagation of <i>Acacia iteaphylla</i>	33:118
University of British Columbia Botanical Garden plant introduction scheme	33:121
Propagation by direct sticking of cuttings in a nutrient medium	33:125
Progress and new ideas in tissue culture propagation	33:126
The importance of timing in propagation by cuttings	33:130
Micropropagation of filberts, <i>Corylus avellana</i>	33:132

Australian Region (11th)

Exotic tropical and sub-tropical fruits and nuts and the Australian plant propagator	33:140
Investigations of germination and benching in sweet orange seed	33:145
Propagation of <i>Cordyline terminalis</i> 'Shepperdii' by hydroculture	33:153
Control of <i>Fuschia</i> rust	33:154
Citrus nursery practices in Hunan province	33:157
Toward a workable softwood cutting technique for propagating avocados	33:160
Propagation of <i>Dracaena marginata</i> by heads	33:164
Summer grafting of golden robinia	33:164
A simple method for in-ground production of seedlings	33:167
The role of plant propagation in taxonomy and conservation	33:170
Evaluation of commercial mist control units	33:176
Mechanical aids to plant propagation	33:182
Horticultural education in the Northern Territory	33:186
How computerized record keeping can help the propagator	33:190
Macadamia husks as a potting medium for ornamentals	33:193
Propagation of <i>Ipomoea horsfalliae</i> in hydroponics	33:197
Use of herbicides in test-stock production	33:200
Plant propagation in the Middle East	33:202
Deflasking and cultivation of tissue-cultured plants	33:206
Fixing climbers to stakes with adhesive labels	33:207
How to measure air space in potting media	33:208

Great Britain and Ireland Region (16th)

How could British botanic gardens help to nursery stock industry in finding new plants of interest	33:210
University of British Columbia Botanical Garden plant introduction scheme	33:213
The commercial exploitation of national plant collections	33:213
Leaf spot diseases of commercial ornamental plants - their recognition and control	33:220
<i>Monochaetia karstenii</i> - a leaf disease of <i>Camellia</i>	33:222
Concerns when propagating plants for the urban environment	33:225
New herbicides for the nursery industry	33:229
A comparison of propagation unit systems	33:233
Progress in micropropagation of woody plants in the United States and Western Canada	33:239
The future use of micropropagation in the United Kingdom	33:249
Weaning and growing-on of micropropagated plants	33:253
Weaning plants from tissue culture	33:256
Results of the IPPS questionnaire on the propagation of soft and semi-ripe cuttings	33:259
How it is done - the company that produced the best results in response to the G.B.&I. IPPS questionnaire	33:264
How can IPPS help in future propagation training?	33:265
The production of pot-grown liners in France	33:268
The production of pot-grown liners in Devon	33:270
Direct rooting of dormant cuttings	33:274
Production of pot-grown liners using the "Levington Tray"	33:277
Pot-grown liner production in Denmark	33:280
Mechanical lifting and cold storage of fruit trees and rootstocks	33:282
Standard stems for roses	33:285
IPPS and ISHS - how can they cooperate?	33:286
Propagation systems in New Zealand and a means of comparing their effectiveness	33:291
Evaluation of Charlton Thermo-system base heating apparatus	33:295
Developments in nursery stock production in Israel	33:299
Ornamental nursery stock production - what is its future	33:305
Cuttings from coniferous species - types and rooting for containers	33:308

New Zealand Region (12th)

Procedures and problems associated with the transfer of tissue-cultured plants	33:316
Use of <i>Pinus radiata</i> bark: a four-year experience	33:320
Container production of asparagus seedlings	33:323
<i>Glomerella cingulata</i> on camellias and the implication for plant exports	33:327
The introduction to New Zealand of elms resistant to Dutch elm disease	33:332
Selection, development, and propagation of Australian native plants	33:340
Propagation of deciduous trees by hardwood cuttings in heated bins	33:347
Bulbs for the future	33:351

Eastern Region (33rd)

What IPPS has meant to the nursery industry	33:356
Propagation by softwood cuttings from root pieces to reintroduce juvenility in a new dwarf root stock (Ottawa 3)	33:361
Outdoor rooting under a whit polyethylene tent	33:366
Comparison of different heat sources in outdoor mist beds	33:373
Ventilated high humidity propagation	33:384
Propagation: fog not mist	33:387
Stripping vs. non-stripping on rooting of woody ornamental cuttings - grower results	33:388
Somatic meiosis	33:398
Clonal propagation of perennial plants from flowers by tissue culture	33:402
Graft incompatibility in woody plants	33:407
The use of pre-emergence herbicides to control chickweed in newly budded crabapples	33:412
An inexpensive method of dwarf spruce propagation	33:415
Review of grafting	33:417
Side veneer grafting	33:422
Saddle grafting	33:425
Shield budding	33:426
Girdling roots, fact or fiction	33:428
Promotion of root regeneration in difficult-to-transplant species	33:433
Herbicides for conifer seedbeds	33:439
Pre- and post-plant emergence herbicides as they affect seed germination and growth of four hardwood and one coniferous species growing on sewage compost amended soil	33:445
Juniper production without herbicides	33:450
Will the propagator have the pesticides he needs next year	33:455
Propagation of <i>Prunus persica</i> cultivars by cuttings	33:461
Developing and identifying hardy landscape plants	33:468
Plant nomenclature and naming new cultivars	33:473
New plant forum	33:480
Award of Merit presentation	33:494
Ten years of plant propagation progress	33:496
Witches'-broom collection of conifers and their propagation	33:500
Role of stratification, temperature, and light in Fraser fir seed germination	33:504
Question Box	33:515
Computers - where are you	33:520
Water quality in plant propagation	33:525
Influence of willow and poplar extracts on rooting cuttings	33:528
Comparative effects of selected rooting compounds on the rooting of <i>Photinia xfraseri</i>	33:536

Southern Region (8th)

Selection and propagation of crape myrtle	33:542
---	--------

<i>Hemerocallis</i> production and cultivation	33:546
Propagation and cultivation of <i>Prunus laurocerasus</i> ‘Schipkaensis’	33:547
Grafting of Japanese maple cultivars	33:551
Propagation of shade and flowering trees by cuttings at Pleasant Cove Nursery	33:552
Lime and lime sources in container nursery production	33:555
Influence of juvenility and maturity in propagation	33:559
Comparison of IBA quick dip with talc for rooting cuttings	33:565
Propagation: for not mist	33:568
Propagation and liner production at James Nursery	33:569
Propagation and culture of <i>Pieris japonica</i> cultivars	33:571
Propagation of some rare tropical plants	33:573
Propagation at Greenbriar Nurseries	33:580
Root zone heating innovations in Florida	33:583
Propagation of <i>Juniperus chinensis</i> ‘Torulosa’	33:589
Biotherm bottom heating in propagation	33:594
Chlorination of irrigation water	33:596
Influence of chemical sanitation treatments on propagation of <i>Buxus microphylla</i> and <i>Peperomia caperata</i>	33:600
Sanitation: a deliberate, essential exercise in plant disease control	33:608
Tissue culture of pecan, oak, and other woody plant species	33:614
Establishing tissue-cultured plants in soil	33:618
Asexual <i>Magnolia grandiflora</i> propagation at Shady Grove Nursery	33:622
Propagation of dwarf nandina cultivars	33:624
Southern Region question box	33:629

Volume 34

Australian Region (12th)

Increasing germination rate and germination percentage of some kinds of seeds by washing, drying, and storing	34:30
A brief review of ethylene in propagation	34:34
Micropropagation of ‘Northern Spy’ apple rootstock	34:48
Propagation of <i>Camellia japonica</i> using horticultural rockwool	34:48
Enclosed mist system for propagation of broad-leaved evergreens	34:50
Collecting, selecting, and propagation Australian plant introductions	34:53
Recent developments in the propagation and establishment of plants from seed	34:61
Propagation of dessert peaches and nectarines from leafy cuttings for commercial close-planted orchards	34:68
Preparation and use of liquid rooting hormones	34:70
Some principals of grafting for the production of weeping trees	34:74
Transferring tissue-cultured plants - in particular grevilleas - to the nursery environment	34:76
Mechanisms of hormone action in plants	34:79
Avoiding problems in seedling and budwood selection in cultivars	34:90

From tissue culture to forest trees	34:93
Outdoor propagation on heated beds	34:99
Effect of indolebutyric acid, medium composition, and cutting type on rooting of <i>Grevillea johnsonii</i> cuttings at low basal temperatures	34:101
Horticultural development of Australian plants	34:108
Micropropagation of Japanese persimmon (<i>Diospyros kaki</i>)	34:118
Importance of early nutrition in plants	34:124
Grafting Australian native plants	34:135
Influence of daylength on the production and quality of cuttings from fuschia mother plants	34:141

Western Region (25th)

Development of nursery techniques	34:152
Cost parameters for choosing crops for micropropagation	34:165
Propagation of proteas	34:168
Quality plants start with propagation and the medium	34:173
Integrated techniques for propagation and conveying compact grafted trees under third world conditions	34:177
Propagation of prawns and plants in the same environment	34:185
Plant genetic engineering and biotechnologies update	34:189
Obligations of the plant propagator	34:195
Cutting propagation of <i>Sequoia sempervirens</i> cultivars	34:204
Twig grafting of macadamia	34:211
Use of monochloramine as a disinfectant for pruning shears	34:214
Computerized irrigation and environmental control systems for greenhouse propagation and nursery production	34:220
Application of a microcomputer in a wholesale nursery	34:223
Soil mixing for small growers	34:232
Curtis J. Alley Award of Merit	34:234
Tissue culture propagation of kiwifruit	34:236
Micrografting: a tool for the plant propagator	34:244
Prospects for genetic engineering in plant propagation	34:248

Great Britain and Ireland Region (17th)

Propagation trials in Kenya	34:256
The genus <i>Pieris</i> - its propagation and production	34:257
Propagation and production of <i>Garrya elliptica</i>	34:261
Climbers - some aspects of our production	34:265
Rhododendron production	34:270
Storage of unrooted coniferous cuttings	34:274
Black polythene mulches as an aid in field propagation of hardwood cuttings	34:281
Container tree production	34:287
Anemone tuber production in southwest England	34:290
New narcissus and their propagation	34:294

Education and training for the nursery industry	34:296
National proficiency test council (N.P.T.C.) setting - how proficient?	34:301
Share your knowledge and experience - the nurserymen's role in passing on crafts	34:304
Sun frame propagation	34:306
Starting a nursery after college	34:311
Improving the rooting of <i>Syringa vulgaris</i> cuttings by etiolation	34:316
Hardy ferns	34:332
<i>Hamamelis</i> seed germination	34:334
Propagation at Bridgemere Nurseries	34:342
Change on the nursery	34:347

New Zealand Region (13th)

Breeding ornamental plants	34:356
The light integrating meter - an alternative method of mist control	34:362
Gerbera production and its problems	34:365
Plugs: use and future in New Zealand	34:375
The influence of nutrition on production of container-grown ornamental peppers	34:381
Seed propagation of <i>Gentiana scabra</i>	34:396
Propagating feijoa by bench grafting	34:401
Propagation of waratah (<i>Telopea speciosissima</i>) by tissue culture	34:403
Vegetative propagation and development of <i>Sophora microphylla</i> Ait.	34:407

Southern Region (9th)

Microfoam use for winter protection - your fifth option	34:418
Applying fungicides to ornamentals through overhead irrigation	34:421
Postemergence herbicides - what works?	34:423
Nursery mechanical system	34:432
Dibbling - a useful fertilizer application method	34:434
Use of drip irrigation in seedling production and in transplanting rooted cuttings	34:437
Propagation of bamboo by vegetative means	34:440
Azalea propagation and growing-on as liners	34:444
Azalea forcing	34:447
Computerized production records	34:449
European gems: what looks good	34:454
Are you a manager or a coach?	34:458
Propagation and production of tropical foliage plants in the "poly-pot-pack"	34:460
An old rooting bench revisited	34:463
Improving uniformity in container nursery stock	34:465
Question box	34:471
Spray programs and equipment	34:475

Container-grown hibiscus: propagation and production	34:480
Rooting hormone formulations: a chance for advancement	34:486
Developments in <i>Dracaena</i> production	34:491
Japanese style work groups at Cypress Creek Nursery, Inc.	34:494
Improved techniques used in producing budded citrus nursery trees for commercial fruit production	34:496
An insulated pallet to reduce labor costs and temperature stress in container plant production	34:500

Eastern Region (34th)

Production of the I.P.P.S. Proceedings and The Plant Propagator	34:509
Propagation, costs and systems	34:512
Deciduous azalea propagation: an overview of old and new techniques	34:517
Revitalization of herbaceous perennials by “repropagation”	34:520
Prairie reconstruction and plant	34:522
Accelerated growth of <i>Pieris japonica</i> grown from seed	34:524
Root grafting of oaks	34:526
Air layering of native woody plants	34:528
Seed dispersal as it concerns the propagator	34:531
Softwood cuttings taken from developing hardwood cuttings	34:535
Propagation of <i>Ilex opaca</i> by cuttings	34:536
Rooting cuttings in outdoor mist beds	34:537
Hardwood cutting propagation at McKay Nursery	34:540
Stock plant etiolation for improved rooting of cuttings	34:543
New findings in the storage and shipment of unrooted cuttings	34:551
Use of spray patternator to demonstrate low pressure pesticide application	34:562
Cutting propagation of some shade and flowering trees	34:562
Propagation tips on some less widely grown plants	34:565
Propagating <i>Acer griseum</i> from cuttings	34:570
Selecting daylilies with commercial value	34:573
Preparation and development of Australian native plants for propagation	34:577
Exotic plants in Hawaii	34:583
Trickle irrigation on short term crops	34:584
Challenges of propagation for the eighties	34:586
Hybridizing rhododendrons	34:591
Seedling production using companion grass crops	34:595
<i>Cornus kousa</i> and its propagation	34:598
New plant forum	34:603
Eastern Region 1984 Award of Merit	34:608
Grafting <i>Acer palmatum</i> ‘Bloodgood’	34:610
Question box	34:611
Root regeneration techniques	34:618

Multiplication of <i>Syringa</i> species and cultivars in tissue culture	34:628
Red-flowered perennial garden delphiniums through interspecific hybridization	34:636
A review of the book: "Growing media for ornamental plants and turf"	34:641
Bench grafting of trees under polyethylene	34:646

Volume 35

Australian Region (13th)

Nutritional studies with potting mixes - sulfur and vermicom-posts: preliminary results	35:36
Use of tissue culture in the search for Panama disease resistant clones of banana	35:44
Propagation of ornamental rain forest plants	35:53
Commercial production of kangaroo paws	35:57
Problems and opportunities in tropical fruit tree propagation	35:65
Budding of European (Spanish) chestnut (<i>Castanea sativa</i> Mill.)	35:72
1984 - a year of problems for the ferns - some general observations	35:76
New plant growth regulators for cuttings and for tissue culture	35:78
Programming stock plants for propagation success	35:84
Virus-tested propagation material and the fruit variety foundation	35:92
An historical review of grafting techniques	35:96
Chip budding - a possibility for pawpaws (papayas)	35:102
Getting to roots of the problem	35:105
Developments in plant protection practices in the nursery industry	35:112
Rod Tallis Memorial Award	35:120
The potential for grafting in the propagation of Australian natives	35:120
The hydrovac theory: will it work to root cuttings	35:125
Propagation of <i>Pieris japonica</i>	35:128
Propagation of tropical and sub-tropical grevilleas	35:130
Hibiscus propagation in cold climate	35:132
Vegetative propagation of hyacinth	35:134
Grafting of <i>Eucalyptus ficifolia</i>	35:137
The New Zealand experience in export of nursery stock	35:139
Training plant propagators and nursery workers	35:141
Seed germination studies with kentia palms (<i>Howea forsterana</i>)	35:144
Taxus production in the U.S.A.	35:149
Domestication of the Australian tropical proteaceae	35:154
Response of vegetative growth to light and temperature in <i>Anigozanthos</i>	35:160

Western Region (26th)

Propagation facilities - past and present	35:170
Rooting hard-to-root conifers	35:176

Controlling the environment from cuttings to field	35:178
System of direct stick propagation	35:182
Propagation of fruit trees at Van Well Nursery	35:185
Budding height and orchard planting depth for Malling apple rootstocks	35:187
Fingerprinting apples: a chemical method of identifying cultivars	35:189
Optimization of tissue culture media	35:196
Long term storage techniques for in-vitro plant germplasm	35:199
Tissue culture of conifers	35:206
Perennials worthy of cultivation	35:216
Propagating and growing primroses in the Pacific Northwest	35:219
An intermittent mist system with pressure boosted by continuous pumping	35:222
Western Region - 1984 Curtis J. Alley Merit Award	35:228
Principles of plant freezing resistance and injury	35:229
Frost hardiness testing	35:237
Foams for freeze damage control in container nurseries	35:239
Keeping plants warm with covers	35:246
Bacterization of plant propagation propagules to enhance plant growth	35:249
Custom seed preparation for optimum conifer production	35:259
New ideas in the use of plug systems	35:263
Western Region question box	35:269
Plants for the discriminating propagator	35:274
Propagation of western North American natives	35:277
Propagation of <i>Mahonia</i> species and cultivars	35:279
<i>Arctostaphylos</i> propagation	35:281
Propagation and culture of some Western North American carnivorous plants	35:285
Cutting propagation of <i>Paxistema myrsinthes</i> , <i>Vaccinium ovatum</i> , <i>Ribes sanguineum</i> , and <i>Acer glabrum</i> var. <i>douglasi</i>	35:293
Propagation of some native deciduous shrubs	35:297
Propagating ceanothus	35:301
Production of native plants in tissue culture	35:306
Propagation of <i>Stevia rebaudiana</i> by cuttings	35:318

New Zealand Region (14th)

Persimmon propagation: research highlights from Ruakura	35:323
Propagation of two kinds of South African bulbs	35:328
In vitro culture of mature commercial <i>Pistachia vera</i> L. cultivars	35:331
In vitro micropropagation of <i>Pistachia</i> rootstocks	35:334
Cutting propagation of rhododendrons	35:338
Plant selectors' rights in New Zealand - do you know the facts?	35:342
Shrink wrap-our experience	35:347
Propagation of amaryllids: a brief review	35:351

Our way with fog propagation of tissue-cultured plants	35:357
A short history of the primrose and polyanthus	35:359
Polyanthus ponderings	35:361
Propagation of the cordylines by vegetative means	35:364
Production of container-grown New Zealand native plants for revegetation	35:366
Tissue culture: is it the ultimate in asexual propagation?	35:370
Propagation of rhododendrons by cuttings: variations utilized in the Willamette Valley of Oregon	35:375
In search of new plants: plant introduction, methods, and application	35:380
Vegetative propagation of radiata pine	35:383

Great Britain and Ireland Region (18th)

Raising bedding plants from seed	35:392
Large scale approach to crop protection	35:395
Progress with diseases and disease control	35:400
Alpines and herbaceous plants from seed produced in low cost film plastic structures	35:406
A plant introduction scheme for new and recommended plants from British Columbia, Canada	35:411
Handle with care	35:417
Propagation of some tropical and other forest species	35:421
Half-hardy perennials	35:427
Horticultural travels in Poland	35:429
Influence of seed weight on the early growth of <i>Quercus suber</i> L. seedlings	35:432
Plant propagation observations in North America	35:436
Clonal propagation of <i>Fagus sylvatica</i> L. by cuttings	35:438
Clonal selection of hardy ornamental nursery stock	35:443
Anatomical status and rooting of <i>Euonymus japonica</i> L. cuttings	35:449
Production of bark for composts	35:454
Progress with direct sticking of cuttings	35:458
Commercial aspects of direct sticking of cuttings at Hilliers	35:464
Vegetable plant raising using speedling transplants	35:468
Rooting of cuttings in relation to the propagation medium	35:472

Eastern Region (35th)

Etiolation as a tool for rooting cuttings of difficult-to-root woody plants	35:488
Seed treatments to enhance germination	35:495
Photoperiodism in woody plants and its significance to plant propagation and production	35:499
Companion grasses in nursery production	35:507
Characterization of the root-promoting activity in willow extracts	35:509
Rooting softwood cuttings of mature <i>Betula papyrifera</i>	35:519
Overwinter survival of newly-propagated stem cuttings of certain deciduous woody plants	35:526
Pre-season propagation	35:532

Rooting deciduous softwood cuttings in plugs	35:535
Descriptions of eighteen tetraploid <i>Lobelia</i> cultivars	35:538
Propagation of wildflowers	35:542
Propagation of herbaceous perennials by root cuttings	35:548
Clonal differences in propagating conifers	35:555
Western North Carolina hemlock seedling production	35:560
Propagation of <i>Tsuga canadensis</i> cultivars: hardwood versus softwood cuttings	35:565
Overwintering liners in a well-water heated storage structure	35:569
Propagation by root cuttings	35:575
Proper selection of propagation material can boost nursery productivity	35:577
Synthesizing plant chimeras as a source of new phenotypes	35:582
Fog propagation - an update	35:587
Improving media aeration in liner and container production	35:591
Rooting media used a Appalachian Nurseries	35:597
Importance of proper aeration in softwood cutting propagation media	35:600
How does tissue culture benefit the practical plant propagator?	35:603
Role of cytokinin in woody plant micropropagation	35:608
Evaluation of a home tissue culture medium	35:616
Hybridizing, selecting, and growing new forms of <i>Kalmia latifolia</i>	35:622
Propagating and producing <i>Kalmia latifolia</i> conventionally	35:626
Eastern Region Award of Merit	35:629
Containerized seedling and rooted cutting technology in Sweden	35:630
Question box	35:633
Keeping track of new cultivar introductions	35:641
New plant forum	35:644
Comparison of gelling substances used in micropropagation	35:650
Interspecific hybridization among <i>Cornus florida</i> , <i>C. kousa</i> , and <i>C. nuttallii</i>	35:655
Propagating rhododendron cuttings with flexwatt in poly tunnels	35:661

Southern Region (10th)

Water quality and plant production in containers	35:672
Building a high humidity propagation system	35:677
A simple and flexible mist controller	35:680
Your irrigation water sample	35:682
A wood burning furnace for heating propagation houses	35:684
An innovative approach to the use of bottom heat	35:687
Gas: a heat source for winter protection	35:692
Influence of exogenous auxin application on the mineral nutrition status of 'Convexa' holly cuttings during intermittent mist propagation	35:694
Physiological action on oxyfluorfen (Goal)	35:701
A granular formulation of oxyfluorfen (Rout)	35:705

Propagation of <i>Ilex vomitoria</i> ‘Nana’	35:710
Propagation of <i>Berberis thunbergii</i> ‘Atropurpurea Nana’	35:711
Propagation of <i>Clethra alnifolia</i>	35:712
Propagation of <i>Viburnum carlesii</i> cuttings	35:713
Propagation of <i>Quercus virginiana</i> cuttings	35:716
Propagation of upright junipers	35:719
Production of <i>XCupressocyparis leylandii</i>	35:722
Ten outstanding flowering trees for potential southeastern U.S. production	35:723
Ten woody plants that deserve a longer look	35:728
New foliage plants with potential	35:734
Ten outstanding perennials	35:737
Acclimation and winter protection of container-grown nursery crops	35:744
Tissue culture propagation of <i>Sophora secundiflora</i>	35:750
Plant patents, trademarks, and other variety protection devices	35:755
Forecasting fast turnover crops	35:761
Crop forecasting for two to three year crops	35:764
Forecasting for crops: 3 to 5 years	35:766
Forecasting for purchasing	35:767
Plant modeling: developing and approach	35:770
Plant modeling-practical applications	35:776
Question box	35:780

Volume 36

Western Region (27th)

The International Plant Propagator’s Society: a dynamic organization that serves you	36:32
Where from and where to	36:36
Trends in agricultural research	36:40
Earning while learning: an educational approach	36:48
Plant propagation in Australia	36:52
Plant propagation in New Zealand	36:56
The story of scabious butterfly blue	36:61
Vitrification of plants cultured in vitro	36:66
Status of crop improvement through tissue culture	36:72
Crop modeling and production costs	36:77
The use of computers in nursery crop production	36:83
Japanese maple propagation at Monrovia Nursery	36:89
Graft incompatibility effect of cyanogenic glycosides on almond and plum callus growth	36:91
Air layering: an alternative method for the propagation of <i>Mahonia aquifolium</i> ‘Compacta’	36:97
Camellia grafting at Monrovia Nursery	36:99

Recent Advances in propagation of woody perennials	36:101
Influence of IBA concentrations on rooting of woody perennial nursery stock	36:108
Dormancy control in magnolia seed germination	36:116
Horticultural rock wool and diatomaceous earth in plant production systems	36:120
The effect of propagation method on forced potted plants and on pathogen resistance in <i>Syringa vulgaris</i>	36:126
Dwarf conifers from witches'-broom	36:131
Plant selection and introduction-some facts of life	36:138
Curtis J. Alley Award of Merit	36:142
Western Region question box	36:143

Australian Region (14th)

Propagation of <i>Banksia coccinea</i> by cuttings	36:148
Ensuring an adequate supply of sulfur to plants in containers	36:153
Greenhouses in plant propagation: an historical perspective	36:158
The Rod Tallis Memorial Award	36:165
Glasshouse peaches: forcing of bud burst and its effect on floral development	36:165
Soil microorganisms, plant growth, and plant health	36:169
A fogging system from sound waves for plant propagation	36:180
Problems in Florida's cut flower production	36:181
Research into propagation of Australian native plants	36:183
Plant propagation in China	36:188
Clean propagating material	36:192
Application of in-vitro pollination and embryo culture to Australian native plants	36:195
Salinity measurements in potting media	36:198
Propagation and development of some new fruit and nut crops for southern Australia	36:201
Replacing the bird: pollination in the genus <i>Strelitzia</i> - mainly <i>S. reginae</i>	36:204
Production of farm trees	36:208
The basics of propagating bougainvillea	36:211
Coping with Adelaide's water supply used for propagation	36:214
Hygiene and the use of tissue cultures in the nursery industry	36:216
Selection and grafting studies of <i>Banksia coccinea</i> and <i>Banksia menziesii</i>	36:220
Assessment of certain Australian species in salt-affected areas and their propagation techniques	36:225

Great Britain and Ireland Region (19th)

The gardens of Ireland	36:230
Alpines worth growing	36:238
Propagation of choice alpines	36:241
Primroses and violets: what's new	36:245
Influence of the environment on rooting of <i>Daphne odora</i> cuttings	36:249
Container compost pH and its effect on plant growth	36:255

Production figures for micropropagated hardy nursery stock in 1986	36:259
Micropropagation of catawba hybrid rhododendrons ‘Nova Zembla’, Cynthia, and ‘Pink Pearl’	36:264
Propagation of <i>Embothrium coccineum</i> , <i>Carpenteria californica</i> , and <i>Fremontodendron</i> ‘California Glory’	36:272
Tasmania, and the plants we propagate there	36:276
Propagation of <i>Prunus tenella</i> ‘Firehill’ from cuttings	36:279
Propagation of <i>Hamamelis mollis</i>	36:282
Physical and chemical properties of peat	36:284
Peat based composts: their properties defined and modified to your needs	36:288
Lesser known plants worth propagating	36:293
Hardy amenity plant introduction and evaluation scheme	36:297
Propagation to conserve: a tale of neglect among Irish cultivars	36:303
The French way to propagate plants	36:309

Western Region (27th)

Herbaceous plant production at Blooms of Bressingham Ltd.	36:314
Garden ferns worth growing	36:320
The need for grasses and bamboos	36:324
Plants in South Korea: my impressions	36:328
Propagating <i>Rhododendron yakushimanum</i> by cutting grafts	36:330
Direct sticking evergreen azalea cuttings	36:333
Camellia propagation	36:335

Southern Region (11th)

A color program for plants adapted to the U.S. Southwest	36:342
Garden chrysanthemum cultivars for southern container production	36:345
Native ornamentals for the U.S. Southwest	36:347
New plant introductions with stress tolerance to conditions in the southern Great Plains	36:351
Efficiency techniques in propagation: fog systems	36:356
Efficiency techniques in propagation: bottom heat	36:358
Efficiency techniques in propagation: methods and procedures	36:360
Efficiency techniques in ball & burlap production	36:365
Plant production using a root control fabric container	36:367
The nursery industry: where are we headed?	36:369
Marketing nursery crops	36:374
Determining container production costs	36:378
Root stress in containers	36:384
Production techniques to minimize stress	36:390
Syringing to reduce stress - is it effective?	36:393
Propagation media: what a grower needs to know	36:396
Utilizing air root pruning in nursery seedling propagation	36:399

Propagation of <i>Acer truncatum</i> , a new introduction to the Southern Great Plains	36:403
Propagation media for flats and for direct sticking: what works?	36:409
Grafting and cutting propagation of pecans	36:414
Softwood cutting propagation of oaks, magnolias, crabapples, and dogwoods	36:419
Tissue culture of oaks and redbuds	36:421
Asexual propagation of fruit and nut trees at Stark Brothers Nurseries	36:427
Handling tissue culture produced liners	36:430
Question box	36:433

New Zealand Region (15th)

Import and export procedures: the role of the ministry of agriculture and fisheries	36:440
Production of <i>Wasabia japonica</i> in Japan	36:443
Propagation of <i>Limonium perigrinum</i>	36:448
Nutrition of container-grown rewa-rewa (<i>Knightia excelsa</i>)	36:450
A system for the evaluation of <i>Zantedeschia</i> (calla lilies)	36:455
Capillary beds - an early assessment	36:458
Effect of sowing time on peach rootstock establishment	36:462
Propagation of <i>Desmoschoenus spiralis</i> (Pingao) from seed	36:468
Propagation of South African proteaceae by seed	36:470
Getting stared in micropropagation of Tasmanian blackwood (<i>Acacia melanoxylon</i>)	36:477
Biological control: does it have a place in plant propagation?	36:481
The maintenance of stock plants	36:488
Factors affecting root formation on <i>Photinia</i> 'Red Robin' cuttings	36:490
Methods and time of budding for peach nursery trees	36:494
Surfactants aid uptake of cytokinin and urea into juvenile <i>Pinus radiata</i> plantlets	36:499

Eastern Region (36th)

Economical propagation structures for the small grower	36:506
Root zone heating design considerations	36:511
Horizontal air flow in winter storage houses	36:515
A comparison between sand/polystyrene and peat/polystyrene for rooting ornamental shrub cuttings	36:519
Selecting, growing, and hybridizing species of daffodils	36:523
A survey of hardy bamboos: their care, culture, and propagation	36:528
Using spunbonded fabrics for cold protection	36:531
Present limitations and future prospects for commercial micropropagation of small fruits	36:538
Modified side graft for deciduous trees	36:543
New advances in bench grafting	36:545
Chip budding techniques in the nursery	36:550
A comparison of media commonly used for propagation of rhododendron cultivars	36:556
Heath and heather propagation	36:563

Pre-emergent herbicide effect on the rooting of cuttings	36:567
A systematic approach to groundcover production	36:571
Update of Gro-Plug system	36:577
Integrating field and container production of trees	36:582
Influence of container configuration on medium temperatures in overwintering structures	36:586
Economics in propagation-a key to horticultural survival	36:593
Sticking <i>Taxus</i> as unstripped cuttings, and update	36:597
Stockplant etiolation and banding for softwood cutting propagation: working towards commercial application	36:599
Propagation of azaleas for container and field production	36:605
Liner bed herbicide update	36:608
Prairie plants in the garden	36:611
Mycorrhizal inoculation during plant propagation	36:613
<i>Taxus</i> production at The Rhode Island Nurseries	36:619
Effect of a hydrophylic gel on germination of woody legume seeds	36:623
The role of plant propagation in the plant breeding programs of the U.S. National Arboretum	36:629
Presentation of research award to Dr. Dennis Stimart.	36:634
Presentation of Eastern Region Award of Merit to James E. Cross	36:634
Cytokinin consumption by micropropagated shoots	36:635
Question Box	36:641
Summer blooming azaleas for northern gardens	36:646
New plant forum	36:650

Volume 37

Western Region (28th)

Developments in the propagation and nursery business during the past 46 years	37:33
Plant production behind “the redwood curtain”	37:38
Effect of irrigation methods on plant growth and water use	37:45
Perlite: start to finish	37:48
Top working (winter-field grafting)	37:52
Proactive strategies to mediate tree-root damage to sidewalks	37:56
Seed collection and cleaning	37:61
Soaking seeds for improved germination	37:66
Pest management in Monrovia’s propagation department	37:70
A comparison of the properties of slow-release fertilizers in container plant production	37:75
The effect of IBA and/or NAA and cutting wood selection on the rooting of <i>Rhaphiolepis indica</i> ‘Jack Evans’	37:77
A 17-year case history of research and implementation of water recycling on container nursery stock	37:82
Curtis J. Alley Award of Merit	37:88
Innovations in air layering	37:88
Fundamentals of rooting tissue-cultured cuttings	37:90

Rooting hardwood cuttings with bottom heat	37:93
Some European techniques for layering woody plants	37:95
Avocado clonal rootstock propagation	37:97
Integrated arthropod pest management in plant tissue culture production	37:104
Commercial micropropagation of <i>Kalmia</i>	37:107
Some ideas in plant propagation: cuttings and grafts (mostly roses)	37:109
Successfully growing proteaceae	37:112
Long-term shelf-life of indole-3-butyric acid solutions	37:116
Improvement of cutting quality by 4-chlororesorcinol	37:119
Alternative media for air layering	37:124
A new efficient method for evaluating root growth potential of planting stock using a root area index	37:125

Australian Region (15th)

Observations on watering container-grown citrus	37:128
Propagation of <i>Breynia</i> 'Roseo-Picta' by hardwood cuttings	37:130
Use of diatomite as a supplement to growing media for ornamental plants	37:132
Application of phosphorus to proteaceous plants	37:138
The influence of radio communication towers on the propagation of fuchsias	37:141
Low cost propagation of eucalypts	37:144
Non-astringent persimmon propagation in Southeast Queensland	37:148
Propagation overseas - an overview	37:151
Micropropagation of <i>Lavandula</i> species	37:158

New Zealand Region (16th)

What should we cover the greenhouse with	37:161
New crops to consider for New Zealand and Australia to enter the world market	37:166
Propagation of Chilean bellflower	37:171
Propagation of hydroponically-grown lettuce	37:176
1987 New Zealand plant variety rights act	37:181
Selection and propagation of New Zealand native plants for Australia and New Zealand	37:186
Strawberry breeding in New Zealand	37:194
Duncan and Davies New Zealand <i>Pseudopanax</i> selections	37:196
Significance of gelling agents in a production tissue culture laboratory	37:200
Sterilization of nerines using the twin scaling technique	37:205

Great Britain and Ireland Region (20th)

Afforestation of salt-affected soils - an international problem	37:212
Harlow car gardens and the trade	37:222
Base heating for propagation: flexiheat	37:226
Modifying a domestic boiler	37:230

Experiences with four base heat systems	37:231
Observations on nursery stock management in North America	37:236
Why nurserymen should not propagate plants	37:244
Where have all the propagators gone?	37:248
Not to the colleges anyone?	37:255
Alliums - more than just onions	37:257
Glorious meconopsis	37:259
Eryngiums - ornamental thistles	37:263
Orpines in cultivation in Britain	37:265
Exploration for and introduction of maples into cultivation	37:269
Malus species and cultivars	37:274
Hostas	37:276
Primulas	37:281
Euphorbias: <i>Euphorbia</i> and euphoria	37:285
Ground cover roses	37:288
Early experiences with a fogging unit: Agritech	37:291
Propagating Sitka spruce under intermittent mist and other systems	37:294
Fogging in tunnels	37:304
The specifications for Neo Plants' new propagation unit	37:306
Ultrasonic fogging system: sonicore nozzles	37:313
An introduction to the micron 5 fog system	37:315
Therma-bed - failure, then success	37:317

Eastern Region (37th)

Growing rhododendrons from tissue culture	37:321
Effects of spent mushroom compost on the production of greenhouse-grown crops	37:323
Rest, postdormancy, and woody plant seed germination	37:330
Introducing new and recommended plants into the nursery industry of British Columbia	37:336
Dove tree (<i>Davidia involucrata</i> var. <i>vilmoriniana</i>) and its propagation by seeds	37:343
Bottle brush buckeye (<i>Aesculus parviflora</i>) and its propagation	37:345
Spent mushroom compost and papermill sludge as soil amendments for containerized nursery crops	37:347
Spring/summer propagation at Jackson nursery	37:354
Modern fertilicide in the nursery	37:357
Solving drainage problems associated with automatic irrigation systems	37:361
Micropropagation of ash (<i>Fraxinus</i>)	37:366
Olivine: a potential slow-release magnesium source for nurseries	37:372
Chip budding of magnolias	37:377
State and federal nursery inspection: bank or boon?	37:380
Cold hardiness of herbaceous perennials	37:386
Plant production with fog	37:393

Mist booms for propagation plants	37:397
Propagation of alpiners and their practical uses	37:399
Maintaining credibility in plant introduction	37:403
Maintaining credibility in plant introductions II	37:407
Maintaining credibility in plant introductions III	37:410
Maintaining credibility in plant introductions IV	37:412
Red oak whip production in containers	37:415
Etiolation to improve softwood cutting propagation: aspects of hormone application and timing of taking cuttings	37:420
Voices from the past	37:428
Root pieces as a means of propagation	37:432
Eastern Region question box	37:435
Eastern Region Award of Merit	37:438
Propagation and production methods for south Jersey	37:441
Leaf-bud or side-graft nurse grafts for difficult-to-root rhododendron cultivars	37:447
Field performance of in vitro propagated blueberries	37:450
Role of shoot growth and ammonium nitrate fertilizer on endogenous carbohydrate, ammonium, and nitrate levels of newly-rooted <i>Acer palmatum</i> cuttings	37:453
Vegetative propagation of the threatened halophyte, <i>Mallotonia gnaphalodes</i>	37:460
Designing a plant micropropagation laboratory	37:462
Propagation of some woody endemic plants of eastern North America	37:468
New plant forum	37:474

Southern Region (12th)

Structures used in Australia for plant propagation	37:482
A new concept in greenhouse design	37:489
Development of a natural vent greenhouse	37:494
High humidity propagation using sweat box method	37:497
Propagation of callunas and ericas in the United Kingdom	37:499
Propagation of a selection of New Zealand native species of commercial significance	37:501
Vegetative propagation of foliage plants	37:503
Propagation of dwarf nadina cultivars	37:507
Light and temperature sensitive mist controllers	37:509
The use of humidifan in propagation	37:513
Computer control of irrigation systems	37:518
Uniformity analysis of various types of mist propagation nozzles	37:522
Mass production of trees in grow-bag	37:526
Pros vs. cons in using root-control field-grow containers	37:529
Experiences in growing and marketing trees and shrubs in grow-bags	37:532
Grow-bags: are they all we had hoped for?	37:534
Fungicides used in propagation at Flowerwood Nursery	37:536

Herbicides used in propagation at Wight Nurseries	37:539
Insect and mite control used in propagation	37:541
Fumigation-basamid	37:543
Mechanization of loading plant material: mobile loading dock and telescoping conveyer	37:545
Bedding plant production in a “state-of-the-art” environment	37:547
Uses for computers in plant propagation	37:550
Use of infrared heat in a propagation environment	37:554

Volume 38

Australian Region (16th)

Applications of genetic engineering in horticulture: a practical perspective	38:36
Chemical control of plant growth	38:40
Propagating mushrooms	38:45
A standard for potting mixes	38:49
Tissue culture of industrial crops	38:53
Computerized aspects of nursery management	38:58
Cell raised transplants - vegetables and nursery stock	38:63
Cultivation of Australian plants - 200 years of progress	38:67
Review of stock plant etiolation - a “new” method of propagation	38:71
Vegetable production in Australia with emphasis on the potato	38:77
A “fog” propagation system used at plant growers Australia	38:82
Fogging sustems for propagation	38:84
Bench top-working of ornamental trees, shrubs, and conifers	38:87
Successfully introducing plants from botanical collections into the nursery and landscape industries	38:97
Propagation of <i>Grevillea</i> hybrids	38:104
Single node vs. double node cuttings for the propagation of <i>Pyrostegia venusta</i> , <i>Hardenbergia violacea</i> ‘Happy Wanderer’, and <i>Clytostoma callistegioides</i>	38:106
Kangaroo paw breeding - the “bush gems” cultivars	38:109
Stock plant management	38:112
Australian endangered species	38:116
Integrated pest management with reference to plant propagation	38:119

Western Region (29th)

Effect of 10-hour photoperiod on in vitro rooting of a difficult-to-root crop <i>Pisum sativum</i>	38:128
British Columbia’s alpine and subalpine flora with garden potential	38:130
Native herbaceous perennials of the Pacific Northwest worthy of commercial production	38:135
California native plants of horticultural value	38:138
Mechanical and hand methods for processing seed	38:141
Propagation of <i>Ensete ventricasum</i> ‘Maureli’ at Monrovia Nursery Company	38:146

Propagating Western Canadian native plants in polyethylene greenhouses	38:148
Rooted cuttings in British Columbia's tree improvement program	38:151
Genetic considerations for breeding <i>Potentilla fruticosa</i>	38:156
Breeding new <i>Pieris</i> cultivars	38:161
Breeding rhododendrons for the Pacific Northwest and comparable climates	38:164
<i>Lagestromia</i> propagation	38:167
Curtis J. Alley Award of Merit	38:169
The burlap cloud method for rooting deciduous shrub cuttings	38:170
<i>Cornus florida</i> and <i>Cornus</i> 'Eddie's White Wonder' -Soils, rootstocks, and propagation for shade tree production	38:177
Propagation of cultivars of <i>Stewartia</i> , <i>Acer palmatum</i> , and <i>Fagus sylvatica</i> for open ground production	38:180
Strange grafts I have known	38:184
Development of Douglas-fir clones for christmas trees	38:187
Conifer propagation in Denmark and new conifer introductions	38:192
Low cost techniques for successfully overwintering rooted cuttings and liners	38:198
High humidity fogging propagation and techniques to overcome stress following mid-summer open ground planting	38:201
Plant introduction from Monrovia nursery company	38:204
Calatheas	38:206
A new fog aeroponics systems for propagation and growing horticultural plants	38:207
Commercial conifer micropropagation	38:209
A preliminary report on vegetative propagation of California live oaks for disease resistance	38:215
 Great Britain and Ireland Region (21st)	
Update on tissue culture of woody plants	38:218
Notcutts' experience with micropropagation	38:224
The vital link: the need for good laboratory/nursery communications	38:229
Myth & money in micropropagation	38:232
Developing the market for micropropagated plants	38:237
Pitfalls in micropropagation and how to avoid them	38:240
Interactions between micropropagation and conventional propagation	38:247
How far do we go? future developments and opportunities in micropropagation	38:251
Application requirements and costs of a tissue culture facility for the nurseryman	38:255
Successes and failures with micropropagated plants: the Blooms' experience	38:262
Observations on the role of cytokinins in micropropagation	38:266
Outline of a system for in vitro propagation of <i>Sequoia sempervirens</i>	38:268
Micropropagation: why Wyevale nurseries took the plunge	38:272
<i>Clematis</i> of recent introduction from the wild and from cultivation	38:274
High altitude Tasmanian plants with horticultural potential	38:277
The flood of American hybrid rhododendrons: and evaluation	38:280
Unusual and wonderful hebes	38:288
Plants for wider propagation: some herbaceous treasures, bamboo magic, and other surprises	38:292

Lesser known and unusual shrub species and their propagation	38:295
Propagation of papavers by root cuttings	38:300
Plant families in need of tender loving care	38:301
Careers: academic to horticulturist	38:304
Propagation systems in the 1980s: a perspective on the best available	38:308
Weaning and aftercare of micropropagated nursery stock	38:315

New Zealand Region (17th)

Perennials, bulbs, and small shrubs for the beginner	38:320
Micropropagation of <i>Xernome callistemon</i>	38:321
In vitro cultivation of <i>Todea barbara</i> - from spore to sporophyte	38:324
The necessity for New Zealanders to keep up with the latest plant science technology	38:326
Exporting plants from New Zealand	38:329
The capillary bed method of irrigating nursery stock	38:335
Monrovia Nursery Company: Proud of our past - but looking to the future	38:338
Costing plant production by the use of reasonable expectancy (R.E.)	38:340
An efficient method of propagating with ground beds and intermittent mist	38:345
The nursery business in northern Illinois	38:346
Superior male kiwifruit - evaluation, identification, and propagation	38:347
Chemical use in New Zealand - the undocumented side effects	38:351
What's new in plant propagation	38:355
An overview of propagation at Skagit Gardens	38:361
Establishing a New Zealand green tea industry	38:362
Slow-release herbicides: an update	38:366
The story of viruses in roses in New Zealand	38:369
Selection and propagation of New Zealand native plants	38:373
Propagation through to promotion - and English nurseryman's view	38:377
Observations, selections, and propagation of New Zealand ferns	38:381
Preliminary evaluation of the dwarf white calla lily as a potted plant	38:384
Effect of 6-benzylaminopurine and 1-naphthylacetic acid on in vitro axillary bud development of mature <i>Acacia melanoxylon</i>	38:389
Exflasking high health <i>Daphne</i> plantlets	38:394
The science of urban horticulture: the coming of age in using plants in an urban environment	38:399
Oki nursery: indoor - outdoor	38:404
Response in vitro of explants chemically treated via forcing solutions	38:406

Southern Region (13th)

Your propagation to sales	38:410
Introducing new and recommended plants - the British Columbia way	38:413
Nursery runoff: a future challenge	38:417
Control of <i>Phytophthora</i> and <i>Pythium</i> by chlorination of irrigation water	38:420

Treating high bicarbonate water	38:423
Calcium, magnesium, and irrigation water	38:425
Holding container-grown plants: liquid vs. slow-release fertilizers	38:430
Influence of nutrition and carbohydrates on rooting of cuttings	38:432
Ground beds vs. containers for seeds and cuttings	38:437
Bare root vs. milk carton seedlings	38:439
Trees from cuttings vs. those from seedlings	38:441
Propagation of under-used flowering trees	38:444
Linear production of <i>Acer rubrum</i> 'Red Sunset' and <i>Malus</i> 'Snowdrift' propagated in vitro	38:447
Pros and cons of trees from tissue culture	38:451
Propagating new magnolia cultivars	38:453
Identification and propagation of various liriopes and ophiopogons	38:456
Propagation with Klipkleen pruning shears	38:462
Why we change to a paddle mixer	38:465
Gleason continuous medium mixer	38:467
Propagation mix using and incline mixer	38:468
top pruning and root growth: practical implications	38:470
Why pesticides sometimes fail	38:472
Weed control in the field: practical suggestions	38:475
Herbicides use in propagation	38:479
Question Box	38:482

Eastern Region (38th)

Practicing basic propagation	38:489
The importance of producing disease and drought resistance in plants	38:493
Mt. Cuba center and the unexploited wealth of the Piedmont	38:496
Evaluation of woody ornamentals for Kansas	38:500
A crisis in cultivar nomenclature	38:504
<i>Acer x freemanii</i> - a source for new shade tree selections	38:509
It's a plant introduction programme (P.I.P.) plant	38:514
The use of glycols as solvents for rooting hormones	38:517
Hydrogels as auxin carriers for root regeneration	38:521
Basamid - update	38:525
Pine and meadow vole control in orchards	38:527
Piece root grafting of oaks: an update	38:531
Propagation and culture of cyclamen species	38:533
Propagating and growing crabapples by budding	38:537
Propagation and production of crabapples on their own roots	38:542
Growth comparison of crabapples: own roots vs. apple rootstock	38:544
Propagation methods affect <i>Taxus</i> cuttings and liner quality	38:550

Boxwood production in the U.S. Midwest	38:559
Grafting <i>Viburnum carlesii</i> 'Compactum'	38:563
Abnormal growths on micropropagated rhododendron	38:566
Eastern Region Question Box	38:571
Eastern Region Award of Merit	38:575
Ventilated high humidity propagation	38:576
Dormancy requirement and greenhouse forcing three euonymous cultivars	38:580
Herbicide update for container weed control	38:584
Monitoring medium nutrient levels during propagation	38:587
Physical and chemical characteristics of spent compost	38:590
Response of woody plant microcuttings to in vitro and ex vitro rooting methods	38:593
New plant forum	38:600
Cost-efficient methods for nursery compliance with environmental regulations for hazardous material storage	38:606

Volume 39

Australian Region (17th)

Plant breeding	39:38
Virus testing of perennial propagating stock	39:43
Dwarfing rootstock for apple (<i>Malus</i>)	39:48
Lavender clone selection for essential oils in Tasmania	39:52
Seedling variation in root formation of <i>Eucalyptus globulus</i> cuttings	39:56
The production of salt tolerant trees	39:61
Production of rootstocks from seed collected from <i>Fagus sylvatica</i> cultivars	39:64
Production of spray chrysanthemums in a hydroponic system	39:66
Media for cutting propagation	39:71
Zantedeschias as flowering pot plants	39:77
Effects of using the plant growth regulator, Bonzi on three <i>Eucalyptus</i> species and four <i>Chamelaucium</i> cultivars	39:80
Propagation from spore of selected Tasmanian ferns and their potential for cultivation	39:83
Breeding new carnation cultivars	39:88

Western Region (30th)

Ferns and their differences within the plant kingdom	39:91
Propagation: old, new, unusual: without hormones, heat or mist	39:93
The latest in greenhouse construction and environmental controls	39:96
Practical aspects of high pressure fog systems	39:101
Tissue culture propagation of french hybrid lilacs	39:105
Use of tissue culture in germplasm maintenance programs	39:109
Production of <i>Forsythia</i> plants for forcing	39:115
Mediterranean-climate bulbs: propagating for container production	39:119

Source selection of vegetatively propagated cultivars	39:123
Bench grafting Colorado blue spruce - criteria for success	39:131
Benefits of good record keeping in propagation	39:135
Dr. Hudson Hartmann Research Grant	39:135
Curtis J. Alley Western Region Award of Merit	39:139
Propagation of rare and endangered species for restoration	39:141
Propagation of native plants for the western states	39:150
Cutting propagation of <i>Cupressus x Cupressocyparis</i>	39:154
Germination requirements for seeds of some Australian native plants	39:161
Breeding and propagation of <i>Alstroemeria</i> for potted flowering plant production	39:166
Roots for the future	39:170
Some plants for dry California conditions	39:174
New plant forum - Western Region	39:178
Seeding production - a current perspective	39:182
Red density - its significance in seeding production	39:185
 Great Britain and Ireland Region (22nd)	
Seed collection, why where, when and how	39:189
Tree and shrub seed: warning! handle with care	39:193
How to overcome seed dormancy	39:200
Acid treatment to overcome seed dormancy	39:205
Production of <i>Davidia involucrata</i> from seed	39:209
Soil sterilisation for outdoor seedling production	39:211
The use of vermiculite as a seed covering	39:213
Improving slow-release herbicide tables for container nursery stock	39:214
Field propagation of selected ornamentals in New Zealand	39:218
The story of ballerina apples	39:221
Influence of daylength and irradiance level on growth of the stock plants and rooting of <i>Betula utilis</i> , <i>Corylus maxima</i> 'Purpurea' and <i>Pinus mugo</i> cuttings	39:224
Production of quality one and two year undercut stocks	39:230
Evaluating the quality of Sitka spruce planting stock before and after cold storage	39:234
Ornamental native plants of British Columbia: their selection, propagation, and introduction	39:243
Induction of juvenility and rooting of some woody ornamentals	39:250
Production of scion wood and its use in specialized budding and grafting	39:253
Production of specimen <i>Ilex</i> species in Virginia, U.S.A.	39:258
The National Council for the Conservation of Plants and Gardens in relation to the IPPS	39:261
Work saving methods in plant propagation	39:265
 New Zealand Region (18th)	
Propagation and regulation of phase change in some New Zealand heteroblastic species	39:268

A potpourri of ideas	39:275
Propagating <i>Hibiscus</i> by cuttings and grafting	39:278
Potential for the production of high-priced edible symbiotic fungi in New Zealand	39:281
Macro and micro propagation of Leyland Cypress	39:285
A plant collections scheme for New Zealand	39:291
Selecting ornamentals for fragrance	39:296
Micropropagation of black currant (<i>Ribes nigrum</i>)	39:300
Propagation and nutrition of <i>Daphne</i> cuttings and tissue culture plantlets	39:305

Southern Region (14th)

Bromination vs. chlorination	39:310
Update on tissue culture of woody plants	39:312
Dogwood anthracnose	39:317
Evaluation and propagation of <i>Liquidambar styraciflua</i> ‘Rotundiloba’	39:320
The changing world of crape myrtle	39:325
Fire ant control in nursery stock	39:328
Propagation of ornamental grasses adapted to Georgia and the U.S. southeast	39:332
Tree production in containers	39:338
Potential “new” plants for U.S. southeastern landscapes	39:343
Growing dogwoods in containers	39:344
Effects of heat stress on container-grown plants	39:348
Effects of container size and fertilizer rate on growth of <i>Rhododendron</i> ‘Formosa’ and <i>Ilex</i> ‘Nellie R. Stevens’ plants	39:354
Rooting response of <i>Magnolia grandiflora</i> ‘Glen St. Mary’ as a function of cutting harvest date and exogenously-applied hormones	39:361
Is your nursery complying with the Texas right to-know law?	39:368
A grower’s approach to plant patents and trademarks	39:372
Superior native Texas woody ornamental plants west of the 98th meridian	39:377
Production and marketing of new plant introductions	39:380
Photosynthesis and growth during root initiation and root development in poinsettia cuttings	39:385
Propagating and cooling with fog	39:390
Rediscovering perennials for southern gardens	39:392
Keeping key nursery personnel happy and productive	39:396
Efficacy of chlorinated irrigation water for controlling root rot organisms	39:399

Eastern Region (39th)

IPPS background	39:406
Apical grafting of <i>Acer palmatum</i> and other deciduous plants	39:409
How records can improve grafting	39:413
Season, genotype, and application methods as they affect paclobutrazol-induced rooting of cutting of several hardwood species	39:416
Storage of cutting wood prior to sticking	39:422
Propylene glycol, quick-dips, practical applications	39:427

Variability among witches'-broom seedlings	39:433
New frontiers with daylilies: from a hybridizer's perspective	39:437
Growing better mountain laurel in containers	39:442
The marriage of observation and research for the improvement of woody plant introductions	39:448
Variation in tissue culture propagated plants	39:455
Variation within a clone during tissue culture propagation	39:458
Plant tissue culture - where is it going?	39:463
<i>Kalmia latifolia</i> - tissue culture vs. cuttings	39:470
Implications of water recycling	39:472
Water recycling at Monrovia Nursery Company, Azusa, California, and Dayton, Oregon - an overview	39:475
Biological control of insects and mites in greenhouse crops	39:483
Composted sewage sludge: an aid in propagation	39:489
Improvement of our cultivated trees and shrubs by selection	39:494
Do we need stock blocks?	39:498
Costing variables in propagation techniques	39:502
Effect of the use of plugs and of rooting medium on growth of privet	39:507
Root zone heating in container propagation	39:514
Why we must still bud and graft	39:516
How tissue culture can be the answer	39:523
The advantage of using seedlings in shade tree production	39:527
Why we should use seedlings instead of grafts and buds	39:529
Award of Merit	39:532
Coincide: phenological approach to pest management	39:534
Overwintering systems for herbaceous perennials	39:539
Eastern Region question box	39:548
New plant forum	39:556

Volume 40

Australian Region (18th)

Practical root grafting	40:38
Weed control in Australian native plants and South African proteas	40:41
Root formation in <i>Malus pumila</i> 'Northern Spy' cuttings using etiolation	40:45
Propagation of Western Australian terrestrial orchids	40:49
Phosphorus and iron effects on the early growth of some Australian native plants	40:56
Biology and propagation of Australian rushes and sedges	40:60
The Rod Tallis Memorial Award	40:64
Vegetative propagation of the western Australian Christmas tree, <i>Nuytsia floribunda</i>	40:64
Approach grafting grevilleas	40:69
Development of salt tolerant clonal trees in Australia	40:73

Use of controlled-release pesticides in potting mixes	40:79
Selection and propagation of jarrah	40:86
Giving the plant propagator respected status	40:91
Propagation of some fruit crops in the 1990s	40:94
Tomato grafting	40:97
Improving Australian daisies by breeding	40:102
Selecting western Australian wildflowers for extended flowering time	40:105
The Ronneby approach for growing better trees	40:108
Developments in propagation and hybridization of <i>Angiozanthos</i> and <i>Macropidia</i> (kangaroo paws)	40:113
Breeding new carnation cultivars	40:119

Western Region (31st)

The beginnings of the I.P.P.S. in the Western Region	40:122
The nurseries of yesteryear	40:132
Plants no longer available, but should be	40:140
Basic propagation methods - or how I learned plant propagation in the olden days	40:145
Early plant propagation techniques that still work today	40:148
The container tree nursery manual - an experience in technology transfer	40:151
An entomologist's perspective on potential insect problems	40:155
New plant disease problems on ornamental plants in California	40:160
The impact of tissue culture on <i>Ficus</i> spp. propagation and production	40:163
Analysis of greenhouse curtain systems for shading, cooling, and heat retention	40:166
Nursery equipment - past, present, and future	40:177
International citrus nursery production as it relates to <i>Phytophthora</i> , viruses, and growing media	40:182
Propagation of <i>Carica pentagona</i>	40:188
Some factors affecting rooting of cuttings	40:191
Western Region Curtis J. Alley Award of Merit	40:195
Western Region Lifetime Honorary Membership Award	40:196
Plant propagation in third world countries	40:198
Hybridization of plants native to California and Baja California in the genus <i>Diplacus</i>	40:202
Collection and introduction of British Columbian native plants to the nursery industry	40:206
New Technology in plant health testing	40:213
Application of molecular breeding to crop improvement	40:217
Mycorrhizal inoculation of container plants	40:222
Whatever happened to plant tissue culture?	40:233
Ornamental palm propagation and container production	40:236

Great Britain and Ireland Region (23rd)

Improved germination of <i>Rosa corymbifera</i> 'Laxa' seed using a compost activator	40:244
Rose rootstocks	40:251

Weaning and growing-on of micropropagated roses	40:255
Pests and diseases of roses	40:260
Weed control for field-budded roses	40:264
Mechanization of rose tree production	40:269
Perpetual flowering ground cover roses: the “county series”	40:274
Breeding roses in Holland	40:278
The role of the British association of rose breeders	40:283
Plant hunting in Chile	40:287
Rockwool block propagation systems for nursery stock	40:292
Heather propagation	40:296
In vitro reproduction of <i>Nymphaea</i>	40:299
Some developments in magnolias for the garden	40:303
Witch hazels of note	40:308
G.B.&I. seminar series: <i>Betula</i> propagation	40:315
G.B.&I. seminar series: <i>Magnolia</i> production	40:318
G.B.&I. seminar series: plant breeders’ rights	40:321

New Zealand Region (19th)

Rooting of <i>Clerodendrum thomsoniae</i> cuttings as affected by paclobutrazol and rooting hormones	40:326
<i>Brachyglottis compacta</i> : a New Zealand endemic shrub	40:332
Propagation and production of selected plants for amenity horticulture	40:336
An island forest - new beginnings	40:340
Selecting and using <i>Magnolia</i> clonal understocks	40:343
Running an organic nursery	40:347
What is somatic embryogenesis in a conifer?	40:350
Cutting propagation of <i>Rosa</i> ‘Mermaid’	40:354
Integrated pest management in an indoor plant nursery	40:356
The use of paclobutrazol in the rooting medium of micropropagated plants	40:358
A fresh look at plant nutrition	40:361
Effect of cutting size on root formation of <i>Abelia</i> , <i>Leucodendron</i> , <i>Boronia</i> , and <i>Metrosideros</i>	40:366
Identifying times of high potential rooting for cuttings of four common New Zealand native ornamentals	40:368
Nutrition of container-grown tuberous begonias	40:370

Southern Region (15th)

Developing a regional market for nursery corps	40:378
New plants in production at Flowerwood Nursery	40:383
Selection of new plants for propagation and introduction into the nursery industry	40:386
Conservation of water and fertilizer using pulse irrigation	40:390
New propagation techniques	40:394
Propagation of <i>Heptacodium miconioides</i> seven son flower, by softwood and semi-hardwood cuttings	40:397

Liner production of Texas native plants	40:402
Importance of pesticide reregistration in plant propagation	40:406
Soil fumigation using Basimid, a granular fumigant	40:410
Small fruit for home gardening	40:412
P. & P.: a new field-type nursery operation	40:417
Regulatory update for nursery growers	40:420
Effect of scarification treatments on germination of <i>Sophora scundiflora</i> seeds	40:423
Training middle-level management personnel for nursery operations	40:427
Propagation and production of Tennessee perennial natives	40:429
Perennial herbs with landscape potential	40:434
Seasonal rooting of blue chinafir cuttings	40:437
Sexual and asexual propagation of North American rhododendrons	40:442
Recycling irrigation water	40:444
Effect of ethylene and juvenility on adventitious root initiation	40:449

Eastern Region (40th)

After the first forty, what is next?	40:455
Ornamental Asian climbing vines for the Pacific Northwest	40:464
Propagation and production of Texas field-grown rose bushes	40:467
Urban horticulture - basic horticulture for the next decade	40:472
The New Zealand-calla	40:478
The importance of garden festivals to the nursery trade	40:485
Hygiene - the forgotten tool	40:489
From here to here	40:494
Production of hardy rose by softwood cuttings	40:498
Herbs: commercial production in containers	40:503
Propagation of wetland species	40:507
Propagation by softwood cuttings of <i>Gleditsia</i> , <i>Amelanchier</i> , <i>Betula</i> , and other species	40:512
Carbohydrate metabolism in cuttings during rooting	40:514
Comparisons of stock plant etiolation with traditional propagation methods	40:517
Propagation techniques of <i>Cornus kousa</i> and <i>Hamamelis taxa</i> - 1940s vs. 1980s	40:524
Propagation of <i>Buxus</i> and <i>Hibiscus</i> : a review - 1940s to 1980s	40:536
Integrated pest management research and implementation in Massachusetts	40:536
Beneficial nematodes for biological control of insect pests	40:543
Composting for field and container growing	40:548
The use of bubble-pace for the overwintering of rooted cuttings	40:553
Hormones: not always necessary	40:558
The best propagation flat is not flat	40:559
Wait! don't trash that poly!	40:560
Our overwintering technique promotes crop uniformity	40:561

Summer softwood cuttings vs. winter hardwood cuttings	40:563
Old fashioned weed control	40:565
Defoliation of meserve holly in storage	40:567
Seed storage for the commercial propagator	40:571
Considerations for micropropagation of plant chimeras	40:576
Programming tissue culture-produced plant performance	40:581
Sweetgum tissue culture	40:586
A dream, a theme, a team supreme	40:591
1990 research grant	40:591
Eastern Region 1990 Fellows	40:592
Eastern Region 1990 Award of Merit	40:594
Propagation of vines	40:595
Encouraging bud break in newly-rooted cuttings	40:597
A comparison of juvenility in seedlings, micropropagated, and macropropagated plants	40:603
Propagation of <i>Juniperus scopulorum</i> 'Wichita Blue' by cuttings	40:613
Effect of light quality on growth of in vitro-cultured organs and tissues	40:615
Eastern Region question box	40:624
New plant forum	40:628